

Safety Data Sheet SDS Number: 10532

SDS Number: 10532 Issue Date: 06/01/15 Reviewed: 06/01/15

SECTION 1	PRODUCT IDENTIFICATION
GHS product Identifier: Synonyms:	Chemlube Premium Gold GF-5 API SN SAE 5W30 Full Synthetic Motor oil
MANUFACTURER/ ADDRE	SS: Chemlube International LLC 500 Mamaroneck Ave. Harrison, N.Y. 10528 USA
CHEMTREC – (800) 424-93(General Assistance Numbe	
SECTION 2	HAZARDS IDENTIFICATION
OSHA/HCS status:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture:	Not classified.
GHS label elements Signal Word : Hazard statements :	No signal word. No known significant effects or critical hazards.
<u>Precautionary statements</u> General :	Avoid contact with eyes, skin and clothing. May be harmful if swallowed. IF IN EYES : Rinse cautiously with water for several minutes. If swallowed, do not induce vomiting. After handling, always wash hands thoroughly with soap and water. If you feel unwell, seek medical attention and show the label when possible. Keep out of reach of children.
Prevention : Response : Storage :	Not applicable. Not applicable. Store in a dry place and/or in closed container. Store in accordance with all local, regional, national and international regulations.
Disposal :	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	None known
SECTION 3	Composition/Information on Ingredients

Components	CAS Number	Amount
Highly refined mineral oil	Mixture	80 – 90 %weight
Petroleum Additives	Mixture	10 – 20 %weight

Any concentration shown as a range is to protect confidentiality or is due to process variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations

applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4 FIRST AID MEASURES

Description of necessary first aid measures

Eye contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur
Skin contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute

Potential acute health effects

Inhalation :	No known significant effects or critical hazards.
Ingestion :	No known significant effects or critical hazards.
Skin contact :	No known significant effects or critical hazards.
Eye contact :	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:	No specific data
Ingestion:	No specific data
Skin contact:	No specific data
Eye contact :	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :	Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments :	Treat symptomatically and supportively.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 13)

SECTION 5

FIRE FIGHTING MEASURES

Specific hazards arising: from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media Suitable extinguishing Unsuitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire None known

SECTION 5	FIRE FIGHTING MEASURES
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides
Special protective actions: for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode
SECTION 6	ACCIDENTAL RELEASE MEASURES
Personal precautions, protect	tive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment
For emergency responders:	If specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up:
Small spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal container.
Large spill:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal
SECTION 7	HANDLING AND STORAGE
Precautions for safe handling Protective measures Advice on general occupational hygiene	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

HANDLING AND STORAGE

Bulk Storage Conditions: Maintain all storage tanks in accordance with applicable regulations. Use necessary controls to monitor tank inventories. Inspect all storage tanks on a periodic basis. Test tanks and associated piping for tightness. Maintain the automatic leak detection devices to assure proper working condition.

SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Control parameters	
Occupational exposure I	limits
None identified.	
Appropriate engineering: Controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure	Emissions from ventilation or work process equipment should be checked to ensure
controls:	they comply with the requirements of environmental protection legislation. In some cases, vapor controls, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	sures
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety glasses equipped with side shields are recommended as minimum protection in industrial settings. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If inhalation hazards exist, a full-face respirator may be required.
Skin protection	
Hand protection:	Chemical-resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected
	based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Use a properly fitted, air-purifying or supplied-air respirator complying with an approved
	standard if a risk assessment indicates this is necessary. Respirator selection must be
	based on known or anticipated exposure levels, the hazards of the product and the safe
SECTION 0	working limits of the selected respirator.
SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES
Physical State	Liquid

Physical State	Liquid
Color	Amber
Flash Point	205 Deg C, 401 Deg F (min)
Upper Flammable Limit	Not determined.
Lower Flammable Limit	Not determined.
Vapor density	>1 { Air = 1}.
Specific Gravity	0.856 (15.6 Deg C)
Water Solubility	Insoluble.
Odor	Mild
Viscosity	Kinematic (100C) 9.3 cSt –12.5 cSt
Boiling Point	289 Deg C, 552 Deg F (Initial)
Pour Point Temperature	<-38C

SECTION 10

REACTIVITY AND STABILITY

Reactivity	Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).
Chemical stability	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur
Conditions to avoid	No specific data .
Incompatible materials	No specific data.
Hazardous decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11	TOXICOLOGICAL INFORMATION
Information on toxicologie	cal effects
Acute toxicity	
Conclusion/Summary	Distillates (petroleum), hydrotreated heavy paraffinic : Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects. Distillates (petroleum), solvent-dewaxed heavy paraffinic : Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or
	near current work place exposure levels produced no significant toxicological effects.
Irritation/Corrosion	
Skin	No additional information No additional information
Eyes	No additional information
Respiratory Sensitization	No additional information
<u>Sensitization</u> Skin	No additional information
	No additional information
Respiratory Mutagenicity	
	No additional information
Conclusion/Summary	
	No additional information
	No additional mormation
Teratogenicity	No additional information
Conclusion/Summary	No additional information
Information on the likely routes of exposure	Routes of entry anticipated: Dermal.
Potential acute health effe	
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards.
Ingestion Skin contact	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
	physical, chemical and toxicological characteristics
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards
Potential chronic health e	ffects
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

SECTION 12		ECOLOGICAL INFORM	IATION	
Toxicity				
Conclusion/Summary	y Not available			
Persistence and degr	radability			
Conclusion/Summary	y Not available.			
Bioaccumulative				
Potential	Not available			
Mobility in soil				
Soil/water partition				
coefficient (KOC)	Not available			
Other adverse effects	s No known significant	effects or critical hazards.		
SECTION 13		DISPOSAL CONSIDER		
Disposal methods		ste should be avoided or m		
		ons and any by-products s		
		onmental protection and w		
		ty requirements. Dispose o		
		disposal contractor. Waste		
		compliant with the require ould be recycled. This mate		
		buid be recycled. This mate		
		aterial and runoff and cont		
	sewers.		act with Son, watch	ways, drains and
SECTION 14		TRANSPORT INFORM		
	DOT Classification	IMDG		IATA
JN number	not regulated	not regulated	n	ot regulated
JN proper				
shipping name			-	
ransport				
lazard class			-	
Environmental				
<u>Hazards</u>			-	
Special precautions f	for user: Transport withi	n user's premises: alway	s transport in clos	ed containers that are
		n user s prennses, away		
		ire Ensure that persons tr		
		ure. Ensure that persons tr t or spillage.		
	upright and secu event of accider			
Fransport in bulk acc	upright and secu event of accider cording Not available.			
Fransport in bulk acc o Annex II of MARPC	upright and secu event of accider cording Not available. DL			
Fransport in bulk acc o Annex II of MARPC	upright and secu event of accider cording Not available. DL			
Transport in bulk acc o Annex II of MARPC 73/78 and the IBC Co	upright and secu event of accider cording Not available. DL ide:	t or spillage.		
Transport in bulk acc o Annex II of MARPO 73/78 and the IBC Co SECTION 15	upright and secu event of accider cording Not available. DL ide:	it or spillage.	MATION	tod or overneted
Transport in bulk acc o Annex II of MARPO 73/78 and the IBC Co SECTION 15	upright and secu event of accider cording Not available. DL ode: United States in	nt or spillage. REGULATORY INFORI Inventory (TSCA 8b): All c	MATION	
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider cording Not available. DL ide: United States in Clean Water Ac	REGULATORY INFORI nventory (TSCA 8b): All c t (CWA) 307: zinc 0,0,0'	MATION omponents are lis ,O'-tetrakis(1,3-dir	
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider cording Not available. DL ide: United States in Clean Water Ac (phosphorodithio	t or spillage. REGULATORY INFORI nventory (TSCA 8b): All c t (CWA) 307: zinc 0,0,0' ate); Zinc alkyl dithiophosp	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate	
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider cording Not available. DL ode: United States in Clean Water Ac (phosphorodithio Clean Water Ac	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc 0,0,0' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate	nethylbutyl) bis
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider cording Not available. DL ode: United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc 0,0,0' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate e Section 311 of the	nethylbutyl) bis Clean Water Act (CWA)
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider DL ode: United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate e Section 311 of the ischarges or spills	nethylbutyl) bis Clean Water Act (CWA)
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider DL ode: United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate e Section 311 of the ischarges or spills r adjoining shorelir	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading
Fransport in bulk acc o Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider DL ode: United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D s of the United States, their	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate e Section 311 of the ischarges or spills r adjoining shorelir	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading
Transport in bulk acc to Annex II of MARPO 73/78 and the IBC Cod <u>SECTION 15</u> U.S. Federal regulatio	upright and secu event of accider Not available. DL ons United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters to surface water 424-8802.	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D s of the United States, their	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate e Section 311 of the ischarges or spills r adjoining shorelir	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading
Transport in bulk acc to Annex II of MARPC 73/78 and the IBC Co SECTION 15	upright and secu event of accider Not available. DL ons United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters to surface water 424-8802.	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S tition Act of 1990 (OPA). D s of the United States, their s must be reported to the I	MATION omponents are lis of-tetrakis(1,3-dir ohate e Section 311 of the ischarges or spills r adjoining shorelir EPA's National Re	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading
Transport in bulk acc to Annex II of MARPC 73/78 and the IBC Cod SECTION 15 U.S. Federal regulation Composition/informa	upright and secu event of accider Not available. DL ons United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters to surface water 424-8802.	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D s of the United States, their	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate Section 311 of the ischarges or spills r adjoining shorelir EPA's National Re	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading sponse Center at (800)
Transport in bulk acc to Annex II of MARPO 73/78 and the IBC Cod SECTION 15 U.S. Federal regulation Composition/informa Name Vinyl acetate	upright and secu event of accider Not available. DL ons United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters to surface water 424-8802.	REGULATORY INFORI nventory (TSCA 8b): All of the (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosy the (CWA) 311: vinyl acetate classified as an oil under S tion Act of 1990 (OPA). D s of the United States, their s must be reported to the l SARA 30	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate Section 311 of the ischarges or spills r adjoining shorelir EPA's National Re 2 TPQ (gallons)	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading sponse Center at (800)
Transport in bulk acc to Annex II of MARPC 73/78 and the IBC Cod SECTION 15 U.S. Federal regulatio	upright and secu event of accider Not available. DL de:	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D s of the United States, their s must be reported to the I s must be reported to the I SARA 30 % EHS (Ibs)	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate Section 311 of the ischarges or spills r adjoining shorelir EPA's National Re 2 TPQ (gallons)	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading sponse Center at (800) <u>SARA 304 RQ</u> (Ibs) (gallons)
Transport in bulk acc to Annex II of MARPO 73/78 and the IBC Cod SECTION 15 U.S. Federal regulation Composition/informa Name Vinyl acetate	upright and secu event of accider Not available. DL ons United States in Clean Water Ac (phosphorodithio Clean Water Ac This material is and the Oil Pollu sheen on waters to surface water 424-8802.	REGULATORY INFORI nventory (TSCA 8b): All c et (CWA) 307: zinc O,O,O' ate); Zinc alkyl dithiophosp et (CWA) 311: vinyl acetate classified as an oil under S ution Act of 1990 (OPA). D s of the United States, their s must be reported to the I s must be reported to the I SARA 30 % EHS (Ibs)	MATION omponents are lis ,O'-tetrakis(1,3-dir ohate Section 311 of the ischarges or spills r adjoining shorelir EPA's National Re 2 TPQ (gallons)	nethylbutyl) bis Clean Water Act (CWA) which produce a visible nes, or into conduits leading sponse Center at (800) <u>SARA 304 RQ</u> (Ibs) (gallons)


Composition/information on ingredients

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	None of the components are listed. None of the components are listed. None of the components are listed. None of the components are listed.
International regulations	Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): Not determined. Japan inventory: Not determined. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined
Canada inventory EU Inventory	All components are listed or exempted. At least one component is not listed in EINECS but all such components are listed in ELINCS.
WHMIS (Canada)	Please contact your supplier for information on the inventory status of this material. Not controlled under WHMIS (Canada).

SECTION 16

OTHER INFORMATION

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u> Date of issue/Date of Revision	06/01/2015
Key to abbreviations:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.